

Publications¹ for the Period 10/01/06 - 09/30/07

The Cancer Cell Biology Program produced a total of 136 cancer-related publications from October 1, 2006 through September 30, 2007. Of these, 40 (29%) were inter-programmatic or inter- and intra-programmatic publications; 10 (7%) were intra-programmatic or inter- and intra-programmatic publications.

¹ * = Inter-programmatic publication; + = intra-programmatic publication

Member names are highlighted and their respective programs are indicated in parentheses.

Program abbreviations: CB = Cell Biology; CC = Carcinogenesis and Chemoprevention; PC = AMC Cancer Prevention and Control; DT = Developmental Therapeutics; HRM = Hormone Related Malignancies; II = Immunology & Immunotherapy; MOP = Molecular Oncology Program; TOP = Thoracic Oncology Program

2006

- Cheung TH, Kwan YL, Hamady M, **Liu X (CB)**. Unraveling transcriptional control and cis-regulatory codes using the software suite GeneACT. *Genome Biol*, in press, 2006.
- Clarke DC, Betterton MD, **Liu X (CB)**. Systems theory of Smad signalling. *IEE Proc Syst Biol* 153(6):412-424, 2006.
- DeGregori J (CB)**, Johnson DG. Distinct and overlapping roles for E2F family members in transcription, proliferation and apoptosis. *Curr Mol Med* 6(7):739-748, 2006.
- * **Emrick MA**, Lee T, Starkey PJ, Mumby MC, **Resing KA (CB)**, **Ahn NG (MOP)**. The gatekeeper residue controls autoactivation of ERK2 via a pathway of intramolecular connectivity. *Proc Natl Acad Sci U S A* 103(48):18101-18106, 2006.
- Fox KE**, Fankell DM, Erickson PF, **Majka SM (CB)**, Crossno JTJr, Klemm DJ. Depletion of cAMP-response element-binding protein/ATF1 inhibits adipogenic conversion of 3T3-L1 cells ectopically expressing CCAAT/enhancer-binding protein (C/EBP) alpha, C/EBP beta, or PPAR gamma 2. *J Biol Chem* 281(52):40341-40353, 2006.
- Freire-de-Lima CG**, Xiao YQ, Gardai SJ, Bratton DL, **Schiemann WP (CB)**, Henson PM. Apoptotic cells, through transforming growth factor-beta, coordinately induce anti-inflammatory and suppress pro-inflammatory eicosanoid and NO synthesis in murine macrophages. *J Biol Chem* 281(50):38376-38384, 2006.
- Gallagher AJ**, Neil JR, **Schiemann WP (CB)**. Role of transforming growth factor-beta in cancer progression. *Future Oncol* 2(6):743-763, 2006.
- Gatlin JC**, Estrada-Bernal A, Sanford SD, **Pfenninger KH (CB)**. Myristoylated, alanine-rich C-kinase substrate phosphorylation regulates growth cone adhesion and pathfinding. *Mol Biol Cell* 17(12):5115-5130, 2006.

¹ * = Inter-programmatic publication; + = intra-programmatic publication

Member names are highlighted and their respective programs are indicated in parentheses.

Program abbreviations: CB = Cell Biology; CC = Carcinogenesis and Chemoprevention; PC = AMC Cancer Prevention and Control; DT = Developmental Therapeutics; HRM = Hormone Related Malignancies; II = Immunology & Immunotherapy; MOP = Molecular Oncology Program; TOP = Thoracic Oncology Program

- Geiger TR, **Martin JM (CB)**. The Epstein-Barr virus-encoded LMP-1 oncoprotein negatively affects Tyk2 phosphorylation and interferon signaling in human B cells. *J Virol* 80(23):11638-11650, 2006.
- Grishchuk EL, **McIntosh JR (CB)**. Microtubule depolymerization can drive poleward chromosome motion in fission yeast. *EMBO J* 25(20):4888-4896, 2006.
- Hippert MM, O'Toole PS, **Thorburn A (CB)**. Autophagy in cancer: good, bad, or both? *Cancer Res* 66(19):9349-9351, 2006.
- Johnson DG, **DeGregori J (CB)**. Putting the oncogenic and tumor suppressive activities of E2F into context. *Curr Mol Med* 6(7):731-738, 2006.
- *+ Keating AK, Salzberg DB, Sather S, Liang X, Nickoloff S, Anwar A, **Deryckere D (DT)**, Hill K, Joung D, Sawczyn KK, Park J, Curran-Everett D, **McGavran L (CB)**, Meltesen L, **Gore L (DT)**, Johnson GL, **Graham DK (CB)**. Lymphoblastic leukemia/lymphoma in mice overexpressing the Mer (MerTK) receptor tyrosine kinase. *Oncogene* 25(45):6092-6100, 2006.
- Khan SY, Kelher MR, Heal JM, Blumberg N, Boshkov LK, Phipps R, Gettings KF, McLaughlin NJ, **Silliman CC (CB)**. Soluble CD40 ligand accumulates in stored blood components, primes neutrophils through CD40, and is a potential cofactor in the development of transfusion-related acute lung injury. *Blood* 108(7):2455-2462, 2006.
- * **Kleinschmidt-DeMasters BK (II)**, Meltesen L, **McGavran L (CB)**, **Lillehei KO (II)**. Characterization of glioblastomas in young adults. *Brain Pathol* 16(4):273-286, 2006.
- Limesand KH, Schwertfeger KL, **Anderson SM (CB)**. MDM2 is required for suppression of apoptosis by activated Akt1 in salivary acinar cells. *Mol Cell Biol* 26(23):8840-8856, 2006.
- Liu J, Grimison B, Lewellyn AL, **Maller JL (CB)**. The anaphase-promoting complex/cyclosome inhibitor Emi2 is essential for meiotic but not mitotic cell cycles. *J Biol Chem* 281(46):34736-34741, 2006.
- * **Liu X (CB)**, Zhu Y, Dai S, White J, Peyerl F, **Kappler JW (II)**, **Marrack P (II)**. Bcl-xl does not have to bind Bax to protect T cells from death. *J Exp Med* 203(13):2953-2961, 2006.
- Marusyk A, **DeGregori J (CB)**. Building a better model of cancer. *Cell Div* 124-30, 2006.
- * **McManaman JL (HRM)**, **Reyland ME (CB)**, Thrower EC. Secretion and fluid transport mechanisms in the mammary gland: comparisons with the exocrine pancreas and the salivary gland. *J Mammary Gland Biol Neoplasia* 11(3-4):249-268, 2006.
- Morita K, **Han M (CB)**. Multiple mechanisms are involved in regulating the expression of the developmental timing regulator lin-28 in *Caenorhabditis elegans*. *EMBO J* 25(24):5794-5804, 2006.
- O'Leary H, Lasda E, **Bayer KU (CB)**. CaMKIIbeta association with the actin cytoskeleton is regulated by alternative splicing. *Mol Biol Cell* 17(11):4656-4665, 2006.

- * Palmer CA, **Neville MC (HRM), Anderson SM (HRM,CB), McManaman JL (HRM)**. Analysis of lactation defects in transgenic mice. *J Mammary Gland Biol Neoplasia* 11(3-4):269-282, 2006.
Rovnak J, **Quackenbush SL (CB)**. Walleye dermal sarcoma virus retroviral cyclin directly contacts TAF9. *J Virol* 80(24):12041-12048, 2006.
- * Shi Z, **Resing KA (CB), Ahn NG (MOP)**. Networks for the allosteric control of protein kinases. *Curr Opin Struct Biol* 16(6):686-692, 2006.
Zhang C, Carl TF, Trudeau ED, Simmet T, **Klymkowsky MW (CB)**. An NF-kappaB and slug regulatory loop active in early vertebrate mesoderm. *PLoS ONE* 1(1):e106-e120, 2006.
Zhao W, Kridel S, **Thorburn A (CB)**, Kooshki M, Little J, Hebbar S, Robbins M. Fatty acid synthase: a novel target for anti glioma therapy. *Br J Cancer* 95(7):869-878, 2006.

2007

- * **Ahn NG (MOP)**, Shabb JB, Old WM, **Resing KA (CB)**. Achieving in-depth proteomics profiling by mass spectrometry. *ACS Chem Biol* 2(1):39-52, 2007.
Albig AR, Roy TG, Becenti DJ, **Schiemann WP (CB)**. Transcriptome analysis of endothelial cell gene expression induced by growth on matrigel matrices: identification and characterization of MAGP-2 and lumican as novel regulators of angiogenesis. *Angiogenesis*, in press, 2007.
- * **Anderson SM (HRM,CB)**, Rudolph MC, **McManaman JL (HRM), Neville MC (HRM)**. Key stages in mammary gland development. Secretory activation in the mammary gland: it's not just about milk protein synthesis! *Breast Cancer Res* 9(1):204-218, 2007.
Arthur CP, **Stowell MH (CB)**. Structure of synaptophysin: a hexameric MARVEL-domain channel protein. *Structure* 15(6):707-714, 2007.
Arthur CP, Serrell DB, Pagratis M, Potter DL, Finch DS, **Stowell MH (CB)**. Electron tomographic methods for studying the chemical synapse. *Methods Cell Biol* 79:241-257, 2007.
- * Ballonoff A, **Kavanagh B (DT)**, Nash R, **Drabkin H (TOP,CB)**, Trotter J, **Rabinovitch R (HRM)**. Hodgkin lymphoma-related vanishing bile duct syndrome and idiopathic cholestasis, recovery of liver function with eradication of lymphoma: A case report and review of the world's literature. *Acta Oncologica*, in press, 2007.
Bargagna-Mohan P, Hamza A, Kim YE, Khuan A, Ho Y, Mor-Vaknin N, Wendschlag N, Liu J, **Evans RM (CB)**, Markovitz DM, Zhan CG, Kim KB, Mohan R. The tumor inhibitor and antiangiogenic agent withaferin A targets the intermediate filament protein vimentin. *Chem Biol* 14(6):623-634, 2007.
- * **Behbakht K (HRM)**, Qamar L, Aldridge CS, Coletta RD, **Davidson SA (HRM), Thorburn A (CB), Ford HL (HRM)**. Six1 overexpression in ovarian carcinoma causes resistance to TRAIL-mediated apoptosis and is associated with poor survival. *Cancer Res* 67(7):3036-3042, 2007.

- Benoit DS, Tripodi MC, Blanchette JO, Langer SJ, **Leinwand LA (CB)**, Anseth KS. Integrin-linked kinase production prevents anoikis in human mesenchymal stem cells. *J Biomed Mater Res A* 81(2):259-268, 2007.
- Bin L, Thorburn J, Thomas LR, Clark PE, Humphreys R, **Thorburn A (CB)**. Tumor-derived mutations in the trail receptor DR5 inhibit trail signaling through the DR4 receptor by competing for ligand binding. *J Biol Chem* 282(38):28189-28194, 2007.
- *+ Brauweiler A, Lorick KL, Lee JP, Tsai YC, **Chan D (DT, TOP)**, Weissman AM, **Drabkin HA (TOP, CB)**, **Gemmill RM (CB)**. RING-dependent tumor suppression and G2/M arrest induced by the TRC8 hereditary kidney cancer gene. *Oncogene* 26(16):2263-2271, 2007.
- Bukowski RM, Kabbinavar FF, Figlin RA, Flaherty K, Srinivas S, Vaishampayan U, **Drabkin HA (TOP, CB)**, Dutcher J, Ryba S, Xia Q, Scappaticci FA, McDermott D. Randomized phase II study of erlotinib combined with bevacizumab compared with bevacizumab alone in metastatic renal cell cancer. *J Clin Oncol*, in press, 2007.
- * Buser AC, Gass-Handel EK, Wyszomierski SL, Doppler W, Leonhardt SA, **Schaack J (MOP)**, Rosen JM, Watkin H, **Anderson SM (HRM, CB)**, **Edwards DP (HRM)**. Progesterone receptor repression of prolactin/signal transducer and activator of transcription 5-mediated transcription of the beta-casein gene in mammary epithelial cells. *Mol Endocrinol* 21(1):106-125, 2007.
- Buvoli M, Buvoli A, **Leinwand LA (CB)**. Interplay between exonic splicing enhancers, mRNA processing, and mRNA surveillance in the dystrophic Mdx mouse. *PLoS ONE* 2(5):e427-e438, 2007.
- * Chen Z, Zang J, **Kappler J (II)**, Hong X, Crawford F, Wang Q, Lan F, Jiang C, Whetstone J, Dai S, **Hansen K (CB)**, Shi Y, **Zhang G (II)**. Structural basis of the recognition of a methylated histone tail by JMJD2A. *Proc Natl Acad Sci U S A* 104(26):10818-10823, 2007.
- Cheung TH, Barthel KK, Kwan YL, **Liu X (CB)**. Identifying pattern-defined regulatory islands in mammalian genomes. *Proc Natl Acad Sci U S A* 104(24):10116-10121, 2007.
- Clavijo C, Chen JL, Kim KJ, **Reyland ME (CB)**, Ann DK. Protein kinase Cdelta-dependent and -independent signaling in genotoxic response to treatment of desferroxamine, a hypoxia-mimetic agent. *Am J Physiol Cell Physiol* 292(6):C2150-C2160, 2007.
- + Costa LJ, **Gemmill RM (CB)**, **Drabkin HA (TOP, CB)**. Upstream signaling inhibition enhances rapamycin effect on growth of kidney cancer cells. *Urology* 69(3):596-602, 2007.
- David PS, Tanveer R, **Port JD (CB)**. FRET-detectable interactions between the ARE binding proteins, HuR and p37AUF1. *RNA* 13(9):1453-1468, 2007.
- DeVries-Seimon TA, Ohm AM, Humphries MJ, **Reyland ME (CB)**. Induction of apoptosis is driven by nuclear retention of protein kinase C delta. *J Biol Chem* 282(31):22307-22314, 2007.
- Ding L, **Han M (CB)**. GW182 family proteins are crucial for microRNA-mediated gene silencing. *Trends Cell Biol* 17(8):411-416, 2007.

- Ding X, Xu R, Yu J, Xu T, Zhuang Y, **Han M (CB)**. SUN1 is required for telomere attachment to nuclear envelope and gametogenesis in mice. *Dev Cell* 12(6):863-872, 2007.
- Donner AJ, Hoover JM, Szostek SA, **Espinosa JM (CB)**. Stimulus-specific transcriptional regulation within the p53 network. *Cell Cycle*, in press, 2007.
- Donner AJ, Szostek S, Hoover JM, **Espinosa JM (CB)**. CDK8 is a stimulus-specific positive coregulator of p53 target genes. *Mol Cell* 27(1):121-133, 2007.
- Eckert CA, Gravidahl DJ, **Megee PC (CB)**. The enhancement of pericentromeric cohesin association by conserved kinetochore components promotes high-fidelity chromosome segregation and is sensitive to microtubule-based tension. *Genes Dev* 21(3):278-291, 2007.
- Efremov A, Grishchuk EL, **McIntosh JR (CB)**, Ataulakhanov FI. In search of an optimal ring to couple microtubule depolymerization to processive chromosome motions. *Proc Natl Acad Sci USA*, in press, 2007.
- Fang TT, Zirrolli J, **Bendiak B (CB)**. Differentiation of the anomeric configuration and ring form of glucosyl-glycolaldehyde anions in the gas phase by mass spectrometry: isomeric discrimination between m/z 221 anions derived from disaccharides and chemical synthesis of m/z 221 standards. *Carbohydr Res* 342(2):217-235, 2007.
- Fang TT, **Bendiak B (CB)**. The stereochemical dependence of unimolecular dissociation of monosaccharide-glycolaldehyde anions in the gas phase: a basis for assignment of the stereochemistry and anomeric configuration of monosaccharides in oligosaccharides by mass spectrometry via a key discriminatory product ion of disaccharide fragmentation, m/z 221. *J Am Chem Soc* 129(31):9721-9736, 2007.
- * **Flaig TW (DT), Gustafson DL (DT)**, Su LJ, Zirrolli JA, Crighton F, **Harrison GS (CB)**, Pierson AS, **Agarwal R (HRM,CC)**, **Glode LM (HRM)**. A phase I and pharmacokinetic study of silybin-phytosome in prostate cancer patients. *Invest New Drugs* 25(2):139-146, 2007.
- * **Flaig TW (DT), Nordeen SK (HRM), Lucia MS (HRM), Harrison GS (CB), Glode LM (HRM)**. Conference report and review: current status of biomarkers potentially associated with prostate cancer outcomes. *J Urol* 177(4):1229-1237, 2007.
- * **Flaig TW (DT)**, Su LJ, **Harrison G (CB)**, **Agarwal R (HRM,CC)**, **Glode LM (HRM)**. Silibinin synergizes with mitoxantrone to inhibit cell growth and induce apoptosis in human prostate cancer cells. *Int J Cancer* 120(9):2028-2033, 2007.
- Gallihier AJ, **Schiemann WP (CB)**. Grb2 binding to Tyr284 in TbetaR-II is essential for mammary tumor growth and metastasis stimulated by TGF-beta. *Carcinogenesis*, in press, 2007.
- Gallihier AJ, **Schiemann WP (CB)**. Src phosphorylates Tyr284 in TGF-beta type II receptor and regulates TGF-beta stimulation of p38 MAPK during breast cancer cell proliferation and invasion. *Cancer Res* 67(8):3752-3758, 2007.
- * Gheorghe G, **Albano EA (PC)**, Porter CC, **McGavran L (CB)**, Wei Q, Meltesen, L, Danielson SM, Liang X. Posttransplant Hodgkin lymphoma preceded by

polymorphic posttransplant lymphoproliferative disorder: report of a pediatric case and review of the literature. *J Pediatr Hematol Oncol* 29(2):112-116, 2007.

Gordon JD, Bertout JA, **Hu CJ (CB)**, Diehl JA, Simon MC. HIF-2 α promotes hypoxic cell proliferation by enhancing c-myc transcriptional activity. *Cancer Cell* 11(4):335-347, 2007.

Grishchuk EL, Spiridonov IS, **McIntosh JR (CB)**. Mitotic chromosome biorientation in fission yeast is enhanced by dynein and a minus-end-directed, kinesin-like protein. *Mol Biol Cell* 18(6):2216-2225, 2007.

Gupta S, **Silliman CG (CB)**, Trump DL. Docetaxel-induced Meibomian duct inflammation and blockage leading to chalazion formation. *Prostate Cancer Prostatic Dis*, in press, 2007.

* Haller AA, Lauer GM, King TH, Kemmler C, Fiolkoski V, Lu Y, **Bellgrau D (II)**, Rodell TC, Apelian D, **Franzusoff A (CB)**, **Duke RC (II)**. Whole recombinant yeast-based immunotherapy induces potent T cell responses targeting HCV NS3 and Core proteins. *Vaccine* 25(8):1452-1463, 2007.

Hansen RR, Sikes HD, **Bowman CN (CB)**. Sub-attomole detection of labeled oligonucleotides using visible light photopolymerization for signal amplification on glass microarray surfaces. *Biomacromolecules*, in press, 2007.

He W, Kivork C, Machinani S, Morphey MK, Gail AM, Tesar DB, Tiangco NE, **McIntosh JR (CB)**, Bjorkman PJ. A freeze substitution fixation-based gold enlarging technique for EM studies of endocytosed Nanogold-labeled molecules. *J Struct Biol*, in press, 2007.

Heerema NA, Raimondi SC, Anderson JR, Biegel J, Camitta BM, Cooley LD, Gaynon PS, Hirsch B, Magenis RE, **McGavran L (CB)**, Patil S, Pettenati MJ, Pullen J, Rao K, Roulston D, Schneider NR, Shuster JJ, Sanger W, Sutcliffe MJ, van Tuinen P, Watson MS, Carroll AJ. Specific extra chromosomes occur in a modal number dependent pattern in pediatric acute lymphoblastic leukemia. *Genes Chromosomes Cancer* 46(7):684-693, 2007.

Hoang ML, Leon RP, Pessoa-Brandao L, Hunt S, Raghuraman MK, Fangman WL, Brewer BJ, **Sclafani RA (CB)**. Structural changes in Mcm5 protein bypass Cdc7-Dbf4 function and reduce replication origin efficiency in *S. cerevisiae*. *Mol Cell Biol*, in press, 2007.

Hoog JL, Schwartz C, Noon AT, O'Toole ET, Mastronarde DN, **McIntosh JR (CB)**, Antony C. Organization of interphase microtubules in fission yeast analyzed by electron tomography. *Dev Cell* 12(3):349-361, 2007.

Horita H, Frankel AE, **Thorburn A (CB)**. Acute myeloid leukemia-targeted toxins kill tumor cells by cell type-specific mechanisms and synergize with TRAIL to allow manipulation of the extent and mechanism of tumor cell death. *Leukemia*, in press, 2007.

Hu CJ (CB), Sataur A, Wang L, Chen H, Simon MC. The N-terminal transactivation domain confers target gene specificity of hypoxia-inducible factors HIF-1 α and HIF-2 α . *Mol Biol Cell*, in press, 2007.

Huang F, Goh LK, **Sorkin A (CB)**. EGF receptor ubiquitination is not necessary for its internalization. *Proc Natl Acad Sci U S A*, in press, 2007.

- * Irwin D, Helm K, Campbell N, Imamura M, Fagan KA, Harral J, Carr M, Young KA, Klemm DJ, Gebb SA, **Dempsey EC (TOP)**, West J, **Majka SM (CB)**. Neonatal lung side population cells demonstrate endothelial potential and are altered in response to hyperoxia induced lung simplification. *Am J Physiol Lung Cell Mol Physiol*, in press, 2007.
- * Jorgenson TN, McKee A, **Wang M (CB)**, Kushnir E, White J, **Refaeli Y (II)**, **Kappler JW (II)**, **Marrack P (II)**. Bim and bcl-2 mutually affect the expression of the other in T cells. *J Immunol* 179(6):3417-3424, 2007.
- * Kalet BT, McBryde MB, **Espinosa JM (CB)**, **Koch TH (DT)**. Doxazolidine induction of apoptosis by a topoisomerase II independent mechanism. *J Med Chem* 50(18):4493-4500, 2007.
- Kanai M, Ma Z, Izumi H, Kim SH, Mattison CP, **Winey M (CB)**, Fukasawa K. Physical and functional interaction between mortalin and Mps1 kinase. *Genes Cells* 12(6):797-810, 2007.
- Kasbek C, Yang CH, Mohd YA, Chapman HM, **Winey M (CB)**, Fisk HA. Preventing the Degradation of Mps1 at Centrosomes Is Sufficient to Cause Centrosome Reduplication in Human Cells. *Mol Biol Cell*, in press, 2007.
- * **Klopper JP (HRM)**, Berenz A, Hays WR, Sharma V, **Pugazhenti U (CB)**, Janssen J, **Singh M (HRM)**, Bissonnette RP, **Haugen BR (HRM)**. *In vivo* and microarray analysis of retinoid responsive anaplastic thyroid carcinoma. *Clin Cancer Res*, in press, 2007.
- Kutchma A, Quayum N, **Jensen J (CB)**. GeneSpeed: protein domain organization of the transcriptome. *Nucleic Acids Res* 35(Database issue):D674-D679, 2007.
- Kwak HI, Gustafson T, Metz RP, Laffin B, **Schedin P (CB)**, Porter WW. Inhibition of breast cancer growth and invasion by single-minded 2s. *Carcinogenesis* 28(2):259-266, 2007.
- Ladinsky MS, **Howell KE (CB)**. Electron tomography of immunolabeled cryosections. *Methods Cell Biol* 79:543-558, 2007.
- Ledeboer A, Jekich BM, Sloane EM, Mahoney JH, Langer SJ, Milligan ED, Martin D, Maier SF, Johnson KW, **Leinwand LA (CB)**, Chavez RA, Watkins LR. Intrathecal interleukin-10 gene therapy attenuates paclitaxel-induced mechanical allodynia and proinflammatory cytokine expression in dorsal root ganglia in rats. *Brain Behav Immun* 21(5):686-698, 2007.
- * Li Y, Clough N, Sun X, Yu W, **Abbott BL (DT)**, **Hogan CJ (DT)**, **Dai Z (CB)**. Bcr-Abl induces abnormal cytoskeleton remodeling, beta1 integrin clustering and increased cell adhesion to fibronectin through the Abl interactor 1 pathway. *J Cell Sci* 120(Pt 8):1436-1446, 2007.
- *+ Liang X, **Grefte B (PC)**, **Garrington T (CB)**, **Graham DK (CB)**. Precursor natural killer cell leukemia. *Pediatr Blood Cancer*, in press, 2007.
- Linger RMA, Keating AK, Earp HS, **Graham DK (CB)**. TAM receptor tyrosine kinases: biologic functions, signaling and potential therapeutic targeting in human cancer. *Adv Cancer Res*, in press, 2007.

- * **Liu B (CB)**, Ordonez-Ercan D, Fan Z, Edgerton SM, Yang X, **Thor AD (HRM)**. Downregulation of erbB3 abrogates erbB2-mediated tamoxifen resistance in breast cancer cells. *Int J Cancer* 120(9):1874-1882, 2007.
Liu J, Grimison B, **Maller JL (CB)**. New insight into metaphase arrest by cytostatic factor: from establishment to release. *Oncogene* 26(9):1286-1289, 2007.
- * Liu Y, Wang Q, **Kleinschmidt-Demasters BK (II)**, **Franzusoff A (CB)**, Ng KY, **Lillehei KO (II)**. TGF-beta2 inhibition augments the effect of tumor vaccine and improves the survival of animals with pre-established brain tumors. *J Neurooncol* 81(2):149-162, 2007.
Lublin AL, **Evans TC (CB)**. The RNA-binding proteins PUF-5, PUF-6, and PUF-7 reveal multiple systems for maternal mRNA regulation during *C. elegans* oogenesis. *Dev Biol* 303(2):635-649, 2007.
- + Lyons TR, Thorburn J, Ryan PW, **Thorburn A (CB)**, **Anderson SM (HRM,CB)**, **Kassenbrock CK (CB)**. Regulation of the pro-apoptotic scaffolding protein POSH by Akt. *J Biol Chem* 282(30):21987-21997, 2007.
- * **Malone J (CB)**, **Ullrich R (CC)**. Novel radiation response genes identified in gene-trapped MCF10A mammary epithelial cells. *Radiat Res* 167(2):176-184, 2007.
Marusyk A, Wheeler LJ, Mathews CK, **DeGregori J (CB)**. p53 mediates senescence-like arrest induced by chronic replicational stress. *Mol Cell Biol* 27(15):5336-5351, 2007.
Marusyk A, **DeGregori J (CB)**. Replicational Stress Selects for p53 Mutation. *Cell Cycle* 6(17):2148-2151, 2007.
Marusyk A, **DeGregori J (CB)**. Declining cellular fitness with age promotes cancer initiation by selecting for adaptive oncogenic mutations (Opinion). *BBA Rev Cancer*, in press, 2007.
- *+ Mattison CP, Old WM, Steiner E, Huneycutt BJ, **Resing KA (CB)**, **Ahn NG (MOP)**, **Winey M (CB)**. Mps1 activation loop autophosphorylation enhances kinase activity. *J Biol Chem*, in press, 2007.
- * McDaniel SM, O'Neill C, Metz RP, Tarbutton E, Stacewicz-Sapuntzakis M, Heimendinger J, Wolfe P, **Thompson H (CC)**, **Schedin P (CB)**. Whole-food sources of vitamin A more effectively inhibit female rat sexual maturation, mammary gland development, and mammary carcinogenesis than retinyl palmitate. *J Nutr* 137(6):1415-1422, 2007.
Miranda M, **Sorkin A (CB)**. Regulation of receptors and transporters by ubiquitination: new insights into surprisingly similar mechanisms. *Mol Interv* 7(3):157-167, 2007.
Miranda M, Dionne KR, Sorkina T, **Sorkin A (CB)**. Three ubiquitin conjugation sites in the amino terminus of the dopamine transporter mediate protein kinase C-dependent endocytosis of the transporter. *Mol Biol Cell* 18(1):313-323, 2007.
Nemenoff RA (CB,TOP). Peroxisome proliferator-activated receptor-gamma in lung cancer: Defining specific versus "off-target" effectors. *J Thorac Oncol*, in press, 2007.

- * Netea-Maier RT, **Hunsucker SW (CB)**, Hoevenaars B, Helmke SM, Slootweg P, Hermus A, **Duncan MW (MOP)**, **Haugen BR (HRM)**. Quantitative and qualitative protein expression differences between follicular carcinoma and follicular thyroid adenoma. *Cancer Res*, in press, 2007.
 Nyeng P, Norgaard GA, Gobberup S, **Jensen J (CB)**. FGF10 signaling controls stomach morphogenesis. *Dev Biol* 303(1):295-310, 2007.
 Ott LW, **Resing KA (CB)**, Sizemore AW, Heyen JW, Cocklin RR, Pedrick NM, Woods HC, Chen JY, Goebel MG, Witzmann FA, Harrington MA. Tumor necrosis factor-alpha- and interleukin-1-induced cellular responses: coupling proteomic and genomic information. *J Proteome Res* 6(6):2176-2185, 2007.
 Pahl PM, Reese SM, **Horwitz LD (CB)**. A lipid-soluble iron chelator alters cell cycle regulatory protein binding in breast cancer cells compared to normal breast cells. *J Exp Ther Oncol* 6(3):193-200, 2007.
 Peng A, Lewellyn AL, **Maller JL (CB)**. Undamaged DNA transmits and enhances DNA damage checkpoint signals in early embryos. *Mol Cell Biol*, in press, 2007.
- + Poland KS, Azim M, Folsom M, Goldfarb R, Naeem R, Korch C, **Drabkin HA (TOP,CB)**, **Gemmill RM (CB)**, Plon SE. A constitutional balanced t(3;8)(p14;q24.1) translocation results in disruption of the TRC8 gene and predisposition to clear cell renal cell carcinoma. *Genes Chromosomes Cancer* 46(9):805-812, 2007.
- * Potiron VA, **Sharma G (TOP)**, Nasarre P, Clarhaut JA, Augustin HG, **Gemmill RM (CB)**, Roche J, **Drabkin HA (TOP,CB)**. Semaphorin SEMA3F affects multiple signaling pathways in lung cancer cells. *Cancer Res* 67(18):8708-8715, 2007.
Pugazhenti S (CB), Akhov L, Selvaraj G, Wang M, Alam J. Regulation of heme oxygenase-1 expression by demethoxy curcuminoids through Nrf2 by a PI3-kinase/Akt-mediated pathway in mouse beta-cells. *Am J Physiol Endocrinol Metab* 293(3):E645-E655, 2007.
- * Riemann H, Takao J, **Shellman YG (CB)**, Hines WA, Edwards CK III, **Norris DA (II)**, **Fujita M (II)**. Generation of a prophylactic melanoma vaccine using whole recombinant yeast expressing MART-1. *Exp Dermatol*, in press, 2007.
 Rokhlin OW, Taghiyev AF, **Bayer KU (CB)**, Bumcrot D, Koteliensk VE, Glover RA, Cohen MB. Calcium/calmodulin-dependent kinase II plays an important role in prostate cancer cell survival. *Cancer Biol Ther* 6(5):732-742, 2007.
 Rovnak J, Casey RN, Brewster CD, Casey JW, **Quackenbush SL (CB)**. Establishment of productively infected walleye dermal sarcoma explant cells. *J Gen Virol* 88(Pt 9):2583-2589, 2007.
- * Roy S, Kaur M, **Agarwal C (CC)**, Tecklenburg M, **Sclafani RA (CB)**, **Agarwal R (HRM,CC)**. p21 and p27 Induction by silibinin is essential for its cell cycle arrest effect in prostate carcinoma cells. *Mol Cancer Ther*, in press, 2007.
- * Rudolph MC, **McManaman JL (HRM)**, Phang T, Russell T, **Kominsky DJ (DT)**, **Serkova NJ (DT)**, Stein T, **Anderson SM (HRM,CB)**, **Neville MC (HRM)**. Metabolic regulation in the lactating mammary gland: a lipid synthesizing machine. *Physiol Genomics* 28(3):323-336, 2007.

- * Ryan CW, Goldman BH, Lara PN Jr, Mack PC, Beer TM, Tangen CM, Lemmon D, Pan CX, **Drabkin HA (TOP,CB)**, **Crawford ED (HRM,PC)**. Sorafenib with interferon alfa-2b as first-line treatment of advanced renal carcinoma: a phase II study of the Southwest Oncology Group. *J Clin Oncol* 25(22):3296-3301, 2007.
- Santilman V, Baran J, Anand-Apte B, **Evans RM (CB)**, Parat MO. Caveolin-1 polarization in transmigrating endothelial cells requires binding to intermediate filaments. *Angiogenesis*, in press, 2007.
- + Sather S, Kenyon KD, **Lefkowitz JB (CB)**, Liang X, Varnum BC, Henson PM, **Graham DK (CB)**. A soluble form of the Mer receptor tyrosine kinase inhibits macrophage clearance of apoptotic cells and platelet aggregation. *Blood* 109(3):1026-1033, 2007.
- Schedin P (CB)**, O'Brien J, Rudolph M, Stein T, **Borges V (II)**. Microenvironment of the involuting mammary gland mediates mammary cancer progression. *J Mammary Gland Biol Neoplasia* 12(1):71-82, 2007.
- Schiemann WP (CB)**. Targeted TGF-beta chemotherapies: friend or foe in treating human malignancies? *Expert Rev Anticancer Ther* 7(5):609-611, 2007.
- Schonteich E, Pilli M, Simon GC, Matern HT, Junutula JR, Sentz D, Holmes RK, **Prekeris R (CB)**. Molecular characterization of Rab11-FIP3 binding to ARF GTPases. *Eur J Cell Biol* 86(8):417-431, 2007.
- Schwartz CL, Sarbash VI, Ataulakhanov FI, **McIntosh JR (CB)**, Nicastro D. Cryo-fluorescence microscopy facilitates correlations between light and cryo-electron microscopy and reduces the rate of photobleaching. *J Microsc* 227(Pt 2):98-109, 2007.
- Sclafani RA (CB)**, Holzen TM. Cell cycle regulation of DNA replication. *Annu Rev Genet*, in press, 2007.
- * **Shellman YG (CB)**, Howe WR, Miller LA, Goldstein NA, **Pacheco T (DT)**, Mahajan RL, **LaRue SM (DT)**, **Norris DA (II)**. Hyperthermia induces endoplasmic reticulum-mediated apoptosis in melanoma and non-melanoma skin cancer cells. *J Invest Dermatol*, in press, 2007.
- Sheren J, Langer SJ, **Leinwand LA (CB)**. A randomized library approach to identifying functional lox site domains for the Cre recombinase. *Nucleic Acids Res* 35(16):5464-5473, 2007.
- Sikes HD, Hansen RR, Johnson LM, Jenison R, Birks JW, Rowlen KL, **Bowman CN (CB)**. Using polymeric materials to generate an amplified response to molecular recognition events. *Nat Mater*, in press, 2007.
- + **Silliman CC (CB)**, Curtis BR, Kopko PM, Khan SY, Kelher MR, Schuller RM, Sannoh B, **Ambruso DR (CB)**. Donor antibodies to HNA-3a implicated in TRALI reactions prime neutrophils and cause PMN-mediated damage to human pulmonary microvascular endothelial cells in a two-event *in vitro* model. *Blood* 109(4):1752-1755, 2007.
- Sorkin A (CB)**. Ubiquitination without E3. *Mol Cell* 26(6):771-773, 2007.
- * Sun S, Meyer-Arendt K, Eichelberger B, Brown R, Yen CY, Old WM, Pierce K, Cios KJ, **Ahn NG (MOP)**, **Resing KA (CB)**. Improved validation of peptide MS/MS assignments using spectral intensity prediction. *Mol Cell Proteomics* 6(1):1-17, 2007.

- * Taguchi F, Solomon B, Gregorc V, Roder H, Gray R, Kasahara K, Nishio M, Brahmer J, Spreafico A, Ludovini V, Massion PP, Dziadziuszko R, Schiller J, Grigorieva J, Tsybin M, **Hunsucker SW (CB)**, Caprioli R, **Duncan MW (MOP)**, **Hirsch FR (TOP,DT)**, **Bunn PA Jr (TOP)**, Carbone DP. Mass spectrometry to classify non-small-cell lung cancer patients for clinical outcome after treatment with epidermal growth factor receptor tyrosine kinase inhibitors: a multicohort cross-institutional study. *J Natl Cancer Inst* 99(11):838-846, 2007.
- Thorburn A (CB)**. Apoptosis and autophagy. Regulatory connections between two supposedly different processes. *Autophagy*, in press, 2007.
- Thorburn A (CB)**. Tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) pathway signaling. *J Thorac Oncol* 2(6):461-465, 2007.
- Tusell SM, Schittone SA, **Holmes KV (CB)**. Mutational analysis of aminopeptidase N, a receptor for several group 1 coronaviruses, identifies key determinants of viral host range. *J Virol* 81(3):1261-1273, 2007.
- + Vest RS, Davies KD, O'Leary H, **Port JD (CB)**, **Bayer KU (CB)**. Dual mechanism of a natural CaMKII inhibitor. *Mol Biol Cell*, in press, 2007.
- * Witze ES, Old WM, **Resing KA (CB)**, **Ahn NG (MOP)**. Mapping protein post-translational modifications with mass spectrometry. *Nat Methods*, in press, 2007.
- Zhang C, **Klymkowsky MW (CB)**. The Sox axis, Nodal signaling, and germ layer specification. *Differentiation* 75(6):536-545, 2007.
- Zhang L, Ding L, Cheung T, Dong M, Chen J, Sewell A, **Liu X (CB)**, Yates J III, Han M. Systematic identification of miRISC proteins, miRNAs, and their mRNA targets in *C. elegans* by their interactions with GW182 family proteins AIN-1 and AIN-2. *Mol Cell*, in press, 2007.
- Zhu S, Wang W, Clarke DC, **Liu X (CB)**. Activation of Mps1 promotes transforming growth factor-beta-independent Smad signaling. *J Biol Chem* 282(25):18327-18338, 2007.